


THE SCOOP™ SERIES

ENTRANCE PLATES & HOODS


Buy at www.AV-Outlet.com



Versatile • Install facing IN or OUT

for LOW VOLTAGE CABLES

Fast and Easy installation!



CE1 facing IN

CE2 facing IN

CE2 facing OUT

Run cables where YOU need them!

NEW! Single and two-gang entrance plates with removable lower plates provides easy access to installed cable.



CER2

CER1 black (CER1BL) not shown

NEW Styles



Horizontal CEDH1

Try The SCOOP™ series of reversible non-metallic, single and two-gang entrance HOODS and PLATES. They not only protect cable – but deliver good looks and installation versatility. They also eliminate extra connections and labor.



- Easy to install facing IN or OUT
- Protects low voltage cable against damage
- All in non-rusting, black or white paintable plastic
- Best way to run cable where it's needed
- Vertical and horizontal styles

Try them all!

Vertical or horizontal HOODS designed especially for decorator style wall plates (CED1, CED1BL, CEDH1)...

Single or two-gang PLATES that install IN or OUT (CE series)...



CE2BL

PLATES with removable lower plates for easier and quicker access to cables that are already run (CER series below left).

NEW! Horizontal single-gang hood delivers even more installation versatility.

Available in black and white.



CEDH1 black not shown



Arlington

NEW!
HOOD on
Reverse

Cable Entrance Plates and Hood

Reversible • Non-metallic • Cable protection at its best

Buy at www.AV-Outlet.com



Arlington's new REVERSIBLE entrance plate not only protects cable, but delivers good looks and installation versatility.

Use it facing IN – or OUT. It's easy to install. And, it's the best way to run cable where you want it.

- Non-rusting, paintable plastic
- Versatile, easy to use
- Install facing in or out



Installation Instructions

Install one of Arlington's low voltage mounting brackets (not supplied) at entry and/or exit locations.

Use **LV1** for the single-gang **CE1**, and **LV2** for the two-gang **CE2**.



1 For entry location: Use the mounting bracket as a template, and cut hole for entry location. Feed wires into the cable entrance

plate. Make sure that the hood is in the desired orientation; facing in or out.


2 For wire exit: Install low voltage mounting bracket (repeat above instructions). Fish wires from behind the wall surface and pull through the bracket. Feed wires into CE1 or CE2 with the hood in the correct orientation (in or out).

3 Attach both (entry and/or exit) cable entrance plates to the LV1 or LV2 mounting brackets.

4 Connect wires to electronic equipment.



See reverse for
*Cable Entrance Hood
for decorator plates*



A
Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description Non-metallic Cable Entrance Plate	Plate Color	Unit/Std Pkg	Includes screws that match plate color
CE1	10460	Single gang	White	10	
CE2	10461	Two gang	White	10	

The SCOOP™ Cable Entrance Hood *for Decorator Plates*

Reversible • Non-metallic • Installation versatility

Buy at www.AV-Outlet.com

For good looks and installation versatility with decorator-style wall plates, try Arlington's reversible non-metallic, single gang entrance hood.


- Easy to install, facing IN or OUT
- Protects low voltage cable against damage.

It's the best way to run cable where you need it.



CED1 facing IN

Patent pending



Single gang LV1

2-gang LV2

Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

©2008 Arlington Industries, Inc.



CED1 facing IN




CED1 facing OUT



The SCOOP™ CED1 facing OUT

LV3 Mounting Bracket (not supplied)



3-gang LV3

4-gang LV4

Installation Instructions

Use one or more of Arlington's low voltage mounting brackets (not supplied) to install The SCOOP™ – the single-gang LV1, two-gang LV2, three-gang LV3 or four-gang LV4.

1 Use the mounting bracket as a template, then cut hole for entry location. Attach the mounting bracket to the wall.

2 Feed wires through The SCOOP™ (CED1), with it facing in or out, as desired. Attach to the mounting bracket with the supplied screws. Repeat as many times as necessary.

3 Connect wires to electronic equipment.

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Plate Color	Unit/Std Pkg	Includes two #6 screws
CED1	10465	Non-metallic Cable Entrance Hood	White	10	




Distributed by

NEW REVERSIBLE CABLE ENTRANCE HOOD for DECORATOR PLATES

Buy at www.AV-Outlet.com

For good looks and installation versatility with decorator-style wall plates, try Arlington's reversible non-metallic, single gang entrance hood.



- Easy to install, facing IN or OUT



- Protects low voltage cable against damage – the best way to run cable where you need it.

CED1 facing IN

Includes two #6 screws



© 2008 Arlington Industries, Inc.


Arlington

800/233-4717 • www.arlnew.com


NEW!

The SCOOP™ Cable Entry Device and Entrance Hoods

For Decorator Plates • For Low Voltage, Class 2 Wiring



TVBR505
TV BOX™



CED13
Cable
Entry
Device

NEW

For good looks and installation versatility with decorator-style wall plates, try Arlington's SCOOP™ series of reversible, non-metallic, entrance hoods and the **NEW CED13 Cable Entry Device**.

The CED13 accommodates a single or multi-gang decorator-style wall plates. It's the efficient, simple way to run low voltage cable.

Use it by itself – or with our combination power/low voltage recessed boxes; TV BOX™ or indoor IN BOX™.



CED13

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Plate Color	Unit/Std Pkg	Includes #6 screws
CED13 NEW!	13000	Cable Entry Device for low voltage wire	White	25	

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Plate Color	Unit/Std Pkg
CED1	10465	Single gang HOOD	White	25
CED1BL	10472	Single gang HOOD	Black	25
CEDH1	10478	Single gang • Horizontal HOOD	White	25
CEDH1BL	10479	Single gang • Horizontal HOOD	Black	25

Includes #6 screws



CEDH1
for Horizontal Applications




CED1

CED1BL

The SCOOP Entrance Hoods are easy to install, facing IN or OUT


They offer the best way to run cable where you need it.

- Protects cable
- Available in black and white




The SCOOP™
CED1
facing OUT

LV3
(not supplied)



CED1
facing OUT



CED1
facing IN

HOOD Installation Instructions
Use one or more of Arlington's low voltage mounting brackets; single-gang LV1, 2-gang LV2, 3-gang LV3 or 4-gang LV4 (not supplied) to install The SCOOP™ Entrance Hoods.



Single-gang
LV1

3-gang
LV3

- 1 Use the mounting bracket as a template. Cut hole for entry location. Attach mounting bracket to wall.
- 2 Feed wires through The SCOOP™ (CED1 shown). Face hood IN or OUT. Attach to the mounting bracket with the supplied screws. Repeat as many times as necessary.
- 3 Connect wires to electronic equipment.



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/scoop

Patents pending